

IN THE CLAIMS:

Please cancel Claims 1-14 and add new claims 15-34, as follows:

**AMENDMENTS TO THE CLAIMS:**

1-14 (canceled)

15. (new) A door for a refrigerating appliance, comprising:  
an outer wall;  
an inner wall;  
said outer wall and said inner wall interconnected along their longitudinal and transverse edges forming a space therebetween to form a depth for the door; and  
one transverse edge formed with a viewing window extending over said depth of door.

16. (new) The door according to claim 15, having a rectangular outline and a pair of shorter rectangular sides and a pair of longer rectangular sides joining said shorter sides into said rectangular outline, including said viewing window formed on one of said shorter rectangular sides of said door serving as said transverse edge.

17. (new) The door according to claim 15, including a transverse edge of said outer wall and a corresponding transverse edge of said inner wall lie opposite one another and an opening serving as a viewing window formed over said depth of said door.

18. (new) The door according to claim 17, including said transverse edge of said outer wall has a viewing window formed therein serving as a recess and projecting over said corresponding transverse edge of said inner wall.

19. (new) The door according to claim 15, including a first end element affixed to the edge of said outer wall and an edge of said inner wall, said first end element and said outer and inner walls define an insulating intermediate space, said first end element following the contour of said viewing window.

20. (new) The door according to claim 19, including a transparent pane arranged in said viewing window.

21. (new) The door according to claim 20, including said pane formed integrally with said end element.

22. (new) The door according to claim 20, including said pane inserted in a window cut-out formed in said end element.

23. (new) The door according to claim 20, including said outer wall is arched at least in the area of said viewing window and said pane mounted under pre-stress.

24. (new) The door according to claim 20, including locating means for acting centrally on said pane for locating said pane on said door.

25. (new) The door according to claim 20, including said pane formed from a highly transparent material.

26. (new) The door according claim 20, including said pane formed from an opaque material.

27. (new) The door according to 20, including a non-transparent decoration formed at least on a portion of the back of said pane.

28. (new) A refrigerating appliance including a body, comprising:  
a door abutting the body in a closed position;  
a display element;  
a viewing window formed on said body; and  
said viewing window oriented such that said display element is visible when said door is closed.

29. (new) The appliance according to 28, including said door having an outer wall and an inner wall, with said outer wall and said inner wall interconnected along their longitudinal and transverse edges forming a space therebetween to form a depth for said door, and one transverse edge formed with said viewing window extending over said depth of door.
30. (new) The door according to claim 28, including a first end element affixed to the edge of said outer wall and an edge of said inner wall, said first end element and said outer and inner walls define an insulating intermediate space, said first end element following the contour of said viewing window.
31. (new) The door according to claim 30, including a transparent pane arranged in said viewing window.
32. (new) The door according to claim 31, including said pane formed integrally with said end element.
33. (new) The door according to claim 31, including said pane formed from at least one of a highly transparent material and an opaque material.
34. (new) The door according to 31, including a non-transparent decoration formed at least on a portion of the back of said pane.